

From: DEagan@moody-s.com
Sent: 1/27/2012 4:28:07 PM

To: "Richard Rupert" <Rupert.Richard@epamail.epa.gov>
CC: "John Smelko" <john.smelko@cabotog.com>; "Richard Fetzer" <Fetzer.Richard@epamail.epa.gov>
Subject: RE: Next Week

Rupert,

It is purely for crew coordination on our part. With one crew going down early morning I would like them to know ahead of time which two sites to prepare for. I think it would be easier if a Moody crew and a Techlaw crew were just paired up for the day. If you have any issues with this just let me know and we will work around it on our end.

Have a good weekend.

Denis P. Eagan
Senior Geologic Technician

cid:image001.jpg@01CBD9B6.032FCA50

Moody & Associates, Inc.
685 Broad Street Extension
Suite 1
Waverly, NY 14892

(607) 565-8800 Office
(570) 877-9126 Cell
(607) 565-8805 Fax
(877) 602-3120 Toll Free
www.moody-s.com

From: Richard Rupert [mailto:Rupert.Richard@epamail.epa.gov]
Sent: Friday, January 27, 2012 4:06 PM
To: Denis Eagan
Cc: John Smelko; Richard Fetzer
Subject: Re: Next Week

Denis,
Our intention is to be ready to sample simultaneously from the tap and well head area on Monday, I cannot guarantee this will happen but, as I said we intend to try.
I wonder why you are concerned about which crew we plan to assign to the sample locations?

Richard Rupert
On-Scene Coordinator
U.S.EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514 8773 - MOBILE
rupert.richard@epa.gov

From: Denis Eagan <DEagan@moody-s.com>
To: Richard Rupert/R3/USEPA/US
Date: 01/27/2012 03:52 PM
Subject: Next Week

Rupert,

I just had some quick questions about next week.

· When (if at all) will Techlaw be staffed to collect samples simultaneously from the wellhead and faucet

On Monday, I was wondering which afternoon site the crew who samples Ex. 6 - Personal Privacy would be going too.

- o 0830 Ex. 6 - Personal Privacy
- o 1330 Ex. 6 - Personal Privacy
- o 1330 Ex. 6 - Personal Privacy

Let me know when you can so I can coordinate the Moody staff. Thanks and have a good weekend.

Denis P. Eagan
Senior Geologic Technician

Moody & Associates, Inc.
685 Broad Street Extension
Suite 1
Waverly, NY 14892

(607) 565-8800 Office
(570) 877-9126 Cell
(607) 565-8805 Fax
(877) 602-3120 Toll Free
www.moody-s.com

From: Richard Rupert [<mailto:Rupert.Richard@epamail.epa.gov>]
Sent: Thursday, January 26, 2012 1:17 PM
To: Denis Eagan
Subject: Re: Friday

Denis, due to some challenges we are having we are very seriously considering canceling both afternoon appointments. I will talk with you later today.
thanks
Rich

Richard Rupert
On-Scene Coordinator
U.S.EPA
1650 Arch Street - 3HS31
Philadelphia, PA 19103
(215) 814-3463 - office
215 514 8773 - MOBILE
rupert.richard@epa.gov
From: Denis Eagan <DEagan@moody-s.com>
To: Richard Rupert/R3/USEPA/US
Date: 01/26/2012 11:44 AM
Subject: Friday

Rupert,

Tomorrow we are scheduled to be at the Ex. 6 - Personal Privacy at 0830 and then Ex. 6 - Personal Privacy at 1330. I was wondering which afternoon appt the Ex. 6 - Personal Privacy samplers will be going to so I can coordinate Moody's field crews. Thanks.

Denis P. Eagan
Senior Geologic Technician
Moody & Associates
685 Broad St Extension
Suite 1
Waverly, NY 14892
Office: 607-565-8800
Cell: 570-877-9126
Fax: 607-565-8805
Deagan@moody-s.com

Sent from my iPhone

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named

image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****
***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****

***** ATTACHMENT NOT DELIVERED *****

This Email message contained an attachment named
image001.jpg

which may be a computer program. This attached computer program could contain a computer virus which could cause harm to EPA's computers, network, and data. The attachment has been deleted.

This was done to limit the distribution of computer viruses introduced into the EPA network. EPA is deleting all computer program attachments sent from the Internet into the agency via Email.

If the message sender is known and the attachment was legitimate, you should contact the sender and request that they rename the file name extension and resend the Email with the renamed attachment. After receiving the revised Email, containing the renamed attachment, you can rename the file extension to its correct name.

For further information, please contact the EPA Call Center at (866) 411-4EPA (4372). The TDD number is (866) 489-4900.

***** ATTACHMENT NOT DELIVERED *****